


AIR HUMIDITY MEASURING TECHNOLOGY

Peg complete

Part number: 506350

The adapter is used together with traverses compact or holder compact. It is used to mount different devices like hygro-thermo transmitters (1.1005.54.xxx) or precipitation sensors (5.4103.xx.xxx) at a mast system.



Specification

Part number: 506350


General




Material	POM
Dimension	Ø 40 x 65 mm
Weight	0.1 kg

Versions

No other versions of this product are available.

Accessories

Product	Product name	Brief description
	Traverse compact for wall mounting 4.3171.2x.000	For storefront mounting of a measuring value transmitter.
		General
		Material Aluminium

	<p>Traverse for Wind Transmitters Compact 4.3171.3x.000</p>	<p>For mounting the wind transmitter and wind direction transmitter jointly onto a mast.</p>		
		<p>Material</p>		
		<table border="1"> <tr> <td>Traverse</td> <td>aluminium (AlMgSi0.5)</td> </tr> </table>	Traverse	aluminium (AlMgSi0.5)
Traverse	aluminium (AlMgSi0.5)			
		<table border="1"> <tr> <td>Gripping clamb</td> <td>stainless steel</td> </tr> </table>	Gripping clamb	stainless steel
Gripping clamb	stainless steel			
		<p>General</p>		
		<table border="1"> <tr> <td>Sensor distance horizontal</td> <td>0.8 m</td> </tr> </table>	Sensor distance horizontal	0.8 m
Sensor distance horizontal	0.8 m			
		<table border="1"> <tr> <td>Weight</td> <td>0.35 kg</td> </tr> </table>	Weight	0.35 kg
Weight	0.35 kg			
		<table border="1"> <tr> <td>Mounting</td> <td>hole Ø 29 mm</td> </tr> </table>	Mounting	hole Ø 29 mm
Mounting	hole Ø 29 mm			
	<p>Traverse short for Wind Transmitters Compact 4.3171.4x.000</p>	<p>For mounting one wind transmitter or wind direction transmitter at a mast.</p>		
		<p>Material</p>		
		<table border="1"> <tr> <td>Traverse</td> <td>aluminium (AlMgSi0.5)</td> </tr> </table>	Traverse	aluminium (AlMgSi0.5)
Traverse	aluminium (AlMgSi0.5)			
		<table border="1"> <tr> <td>Gripping clamb</td> <td>stainless steel</td> </tr> </table>	Gripping clamb	stainless steel
Gripping clamb	stainless steel			
		<p>General</p>		
		<table border="1"> <tr> <td>Sensor distance horizontal</td> <td>0.4 m</td> </tr> </table>	Sensor distance horizontal	0.4 m
Sensor distance horizontal	0.4 m			
		<table border="1"> <tr> <td>Weight</td> <td>0.3 kg</td> </tr> </table>	Weight	0.3 kg
Weight	0.3 kg			
		<table border="1"> <tr> <td>Mounting</td> <td>hole Ø 29 mm</td> </tr> </table>	Mounting	hole Ø 29 mm
Mounting	hole Ø 29 mm			
	<p>Holder compact 506347</p>	<p>The holder serves for the mounting of a wind transmitter, Compact-type, onto an instrument carrier or mast.</p>		
		<p>General</p>		
		<table border="1"> <tr> <td>Mounting</td> <td>for mast tubes Ø 35 ... 50 mm</td> </tr> </table>	Mounting	for mast tubes Ø 35 ... 50 mm
Mounting	for mast tubes Ø 35 ... 50 mm			
		<table border="1"> <tr> <td>Material</td> <td>stainless steel (V2A)</td> </tr> </table>	Material	stainless steel (V2A)
Material	stainless steel (V2A)			
		<table border="1"> <tr> <td>Dimension</td> <td>80 x 150 mm</td> </tr> </table>	Dimension	80 x 150 mm
Dimension	80 x 150 mm			
		<table border="1"> <tr> <td>Weight</td> <td>0.35 kg</td> </tr> </table>	Weight	0.35 kg
Weight	0.35 kg			
		<table border="1"> <tr> <td>Mounting</td> <td>hole Ø 32.5 mm</td> </tr> </table>	Mounting	hole Ø 32.5 mm
Mounting	hole Ø 32.5 mm			